EAST
8 pages   MD   MD   MD

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("4813024").PN.	USPAT; USOCR	OR	OFF	2004/07/08 15:32
S2	87	((multiple or plural$3 or second or other) near2 processor$2) with cryptograph$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 14:01
S3	4	("5410726" | "5423044" | "5530753" | "5675724").PN.	USPAT	OR	ON	2005/04/05 14:36
S4	0	"6047375".URPN.	USPAT	OR	ON	2005/04/05 14:36
S5	1	("4870681").PN.	USPAT; USOCR	OR	OFF	2004/07/08 17:21
S6	1	("6101255").PN.	USPAT; USOCR	OR	OFF	2004/07/08 17:22
S7	1	("6141422").PN.	USPAT; USOCR	OR	OFF	2004/07/08 17:22
S8	193	(parallel or simultaneous$2) near3 (cryptograph$2 or encrypt$3 or decrypt$3) near5 (process$3 or operation$1 or function$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 14:37
S9	1	("6477646").PN.	USPAT; USOCR	OR	OFF	2004/07/08 18:16
S10	15	"4731843".URPN.	USPAT	OR	ON	2005/04/05 15:01
S11	1	("6378009").PN.	USPAT; USOCR	OR	OFF	2004/07/08 19:55
S12	1	("6378021").PN.	USPAT; USOCR	OR	OFF	2004/07/08 19:55
S13	1	("6378072").PN.	USPAT; USOCR	OR	OFF	2004/07/08 20:27
S14	0	((multiple or plural$3 or second or other) near2 processor$2) same ((dummy or fake) near5 (cryptograph$2 or encrypt$3 or decrypt$3) near3 (operation$1 or functions or task$1 or prosess$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 15:01
S15	11	(dummy or fake) near5 (cryptograph$2 or encrypt$3 or decrypt$3) near5 (operation$1 or functions or task$1 or prosess$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 15:03
S16	40	(dummy or fake) near5 (cryptograph$2 or encrypt$3 or decrypt$3) near5 (key$1 or random near2 (value$1 or number$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 15:04

S17	1	meislahn and angelo.in.	USPAT	OR	ON	2004/07/09 12:48
S18	1	("4813024").PN.	USPAT; USOCR	OR	OFF	2004/07/09 15:24
S19	7	"4813024".URPN.	USPAT	OR	ON	2005/04/05 15:05
S20	6	feyt.in. and benoit.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/09 14:06
S21	418	kocher.in.	US-PGPUB; USPAT	OR	ON	2004/07/09 15:26
S22	1	kocher-paul.in.	US-PGPUB; USPAT	OR	ON	2004/07/09 15:27
S23	7	kocher.in. and (leak$ near3 cryptograph$2)	USPAT	OR	ON	2005/04/05 18:57
S24	3026	713/172,174,192,193,200, 340;380/29-30;705/65.ccls. and @ad<"20000108"	US-PGPUB; USPAT	OR	ON	2005/04/05 15:06
S25	361	(713/172,174,192,193,200, 340;380/29-30;705/65.ccls. and @ad<"20000108") and (((multiple or plural$3 or second or other) near2 processor$1) or multiprocessor$1 or (parallel near3 processing))	US-PGPUB; USPAT	OR	ON	2004/07/09 18:07
S26	152	((713/172,174,192,193,200, 340;380/29-30;705/65.ccls. and @ad<"20000108") and (((multiple or plural$3 or second or other) near2 processor$1) or multiprocessor$1 or (parallel near3 processing))) and ((cryptograph$2 or encrypt$3 or decrypt$3) near3 (operation$1 or processing or function$1 or task$1))	US-PGPUB; USPAT	OR	ON	2005/04/05 15:07
S27	96	(((713/172,174,192,193,200, 340;380/29-30;705/65.ccls. and @ad<"20000108") and (((multiple or plural$3 or second or other) near2 processor$1) or multiprocessor$1 or (parallel near3 processing))) and ((cryptograph$2 or encrypt$3 or decrypt$3) near3 (operation$1 or processing or function$1 or task$1))) and (parallel or simultaneous$2)	US-PGPUB; USPAT	OR	ON	2004/07/09 17:56

S28	40	(713/172,174,192,193,200, 340;380/29-30;705/65.ccls. and @ad<"20000108") and ("power consumption" near5 (anal$5 or monitor$3))	US-PGPUB; USPAT	OR	ON	2005/04/05 15:15
S29	12	((713/172,174,192,193,200, 340;380/29-30;705/65.ccls. and @ad<"20000108") and ("power consumption" near5 (anal$5 or monitor$3))) and ((extract$3 or obtain$3) near3 (secret or key$1 or information))	US-PGPUB; USPAT	OR	ON	2004/07/09 18:10
S30	5	(713/172,174,192,193,200, 340;380/29-30;705/65.ccls. and @ad<"20000108") and ("differential power analysis" or dpa)	US-PGPUB; USPAT	OR	ON	2004/07/09 18:44
S31	22	(complementary near3 operation$1) same (cryptograph$2 or encrypt$3 or decrypt$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 19:01
S32	84	((random near3 (assign$3 or select$3)) with $processor$1) and (cryptograph$2 or encrypt$3 or decrypt$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 19:03
S126	55	((multiple or plural$3 or second or other) near2 processor$2) with cryptograph$2 and (@ad<"20001227" or @rlad<"20001227")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 14:18
S127	0	S126 and ((dummy or fake) near5 (cryptograph$2 or encrypt$3 or decrypt$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 14:24
S128	1	S126 and ("differential power analysis" or dpa)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 14:26
S129	14	S126 and parallel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 14:19

S13 0	4	("5410726" | "5423044" | "5530753" | "5675724").PN.	USPAT	OR	ON	2005/04/05 14:36
S13 1	0	"6047375".URPN.	USPAT	OR	ON	2005/04/05 14:36
S13 2	128	(parallel or simultaneous$2) near3 (cryptograph$2 or encrypt$3 or decrypt$3) near5 (process$3 or operation$1 or function$1) and (@ad<"20001227" or @rlad<"20001227")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 14:57
S13 4	16	"4731843".URPN.	USPAT	OR	ON	2005/04/05 15:01
S13 5	0	((multiple or plural$3 or second or other) near2 processor$2) same ((dummy or fake) near5 (cryptograph$2 or encrypt$3 or decrypt$3) near3 (operation$1 or functions or task$1 or prosess$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 15:02
S13 6	8	(dummy or fake) near5 (cryptograph$2 or encrypt$3 or decrypt$3) near5 (operation$1 or functions or task$1 or prosess$3) and (@ad<"20001227" or @rlad<"20001227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 15:03
S13 7	25	(dummy or fake) near5 (cryptograph$2 or encrypt$3 or decrypt$3) near5 (key$1 or random near2 (value$1 or number$1)) and (@ad<"20001227" or @rlad<"20001227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 07:53
S13 8	8	"4813024".URPN.	USPAT	OR	ON	2005/04/05 15:05
S13 9	3939	713/172,174,192,193,200, 340;380/29-30;705/65.ccls. and (@ad<"20001227" or @rlad<"20001227")	US-PGPUB; USPAT	OR	ON	2005/09/21 07:58
S14 0	201	S139 and (((multiple or plural$3 or second or other) near2 processor$1) or multiprocessor$1 or (parallel near3 processing)) and ((cryptograph$2 or encrypt$3 or decrypt$3) near3 (operation$1 or processing or function$1 or task$1))	US-PGPUB; USPAT	OR	ON	2005/04/05 15:08

S141	28	S139 and (((multiple or plural$3 or second or other) near2 processor$1) or multiprocessor$1 or (parallel near3 processing)) same ((cryptograph$2 or encrypt$3 or decrypt$3) near3 (operation$1 or processing or function$1 or task$1))	US-PGPUB; USPAT	OR	ON	2005/04/05 15:08
S143	54	S139 and ("power consumption" near5 (anal$5 or monitor$3))	US-PGPUB; USPAT	OR	ON	2005/04/05 18:44
S144	23	S143 and ((extract$3 or obtain$3) near3 (secret or key$1 or information))	US-PGPUB; USPAT	OR	ON	2005/04/05 15:16
S145	19	("4641346" | "4641347" | "4725718" | "4757537" | "4775246" | "4802218" | "4831555" | "4853961" | "4932053" | "4997288" | "5500601" | "5533123" | "5995629" | "6154734" | "6327661" | "6419159" | "6498404" | "6510518" | "6594760").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/05 15:24
S146	32	("4932053").URPN.	USPAT	OR	ON	2005/04/05 16:38
S147	4	("4932053" | "5594493" | "5796083" | "5815577").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/05 18:01
S150	50	ugon-michel.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 18:01
S151	23	S139 and ("power consumption" near5 (anal$5 or monitor$3)) and ((extract$3 or obtain$3) near3 (secret or key$1 or information))	US-PGPUB; USPAT	OR	ON	2005/04/05 18:47
S152	15	S139 and ("differential power analysis" or dpa)	US-PGPUB; USPAT	OR	ON	2005/04/05 18:47
S153	12	kocher.in. and (leak$ near3 cryptograph$2)	US-PGPUB; USPAT	OR	ON	2005/04/05 18:57
S154	25	(complementary near3 operation$1) same (cryptograph$2 or encrypt$3 or decrypt$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 19:01

S15 5	57	((random near3 (assign$3 or select$3)) with $processor$1) and (cryptograph$2 or encrypt$3 or decrypt$3) and (@ad<"20001227" or @rlad<"20001227")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 19:03
S15 6	55	((multiple or plural$3 or second or other) near2 processor$2) with cryptograph$2 and (@ad<"20001227" or @rlad<"20001227")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 14:25
S15 9	0	S156 and ((dummy or fake) near5 (cryptograph$2 or encrypt$3 or decrypt$3 or program or operation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 14:25
S16 0	1	S156 and ("differential power analysis" or dpa)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 14:26
S16 1	18	("4641346" | "4641347" | "4725718" | "4757537" | "4775246" | "4802218" | "4831555" | "4853961" | "4932053" | "4997288" | "5500601" | "5533123" | "5995629" | "6154734" | "6327661" | "6419159" | "6510518" | "6594760").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/20 14:32
S16 2	32	("4932053").URPN.	USPAT	OR	ON	2005/09/20 15:02
S16 3	1	("4932053").PN.	US-PGPUB; USPAT	OR	OFF	2005/09/20 15:05
S16 6	26	(dummy or fake) near5 (cryptograph$2 or encrypt$3 or decrypt$3) near5 (key$1 or random near2 (value$1 or number$1)) and (@ad<"20001227" or @rlad<"20001227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 07:54
S16 7	2485	713/172,174,192,193, 340;380/29-30;705/65.ccls. and (@ad<"20001227" or @rlad<"20001227")	US-PGPUB; USPAT	OR	ON	2005/09/21 07:59
S16 8	64	S167 and ("differential power analysis" dpa power current) and dummy	US-PGPUB; USPAT	OR	ON	2005/09/21 08:01

S16 9	2	S168 and ((simultaneous$2 concurrent$2 parallel "same time") with dummy)	US-PGPUB; USPAT	OR	ON	2005/09/21 08:03
S17 0	51	S168 and (simultaneous$2 concurrent$2 parallel "same time")	US-PGPUB; USPAT	OR	ON	2005/09/21 08:03
S17 4	510661	(power current) near5 (analy$4 consumption attack$3 monitor$3 differential)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 08:32
S17 6	524	((dummy unnecessary additional) near2 (process operation program instruction)) same (((second other another) near2 (processor cpu chip unit)) co$1processor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 08:39
S17 7	1130	((dummy unnecessary additional) near2 (process operation program instruction)) with (paralle concurrent simultaneous "same time")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 08:39
S17 8	3	S174 and S176 and S177	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 08:41
S17 9	71	S174 and S176	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 08:41
S18 0	30	S174 and S176 and (@ad<"20001227" or @rlad<"20001227")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 08:45
S18 1	72	S174 and S177 and (@ad<"20001227" or @rlad<"20001227")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 10:04

| S18 2 | 35 | (("side channel" "power analysis") near5 attack) and ((dummy $2necessary superfluous $2important $2relevant) near3 (operation instruction process program)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 10:08 |
| S18 3 | 8 | S182 and (@ad<"20001227" or @rlad<"20001227") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/21 10:08 |